

# **KAGRA Detector Characterization**

**Kazuhiro Hayama (Osaka City U)**  
**On behalf of**  
**The KAGRA Detector Characterization**


# Human Resources

- **Hayama(OCU),  
U. Tokyo:  
Araya, Itoh,Miyakawa,Ono,Uchiyama  
OCU :  
Asano, Kanda,Miyamoto,Yamamoto,  
Yokozawa, Yuzurihara  
ISM : Mano  
Osaka U: Narikawa, Ueno**

# Development of KAGRA

**Design→Make→Installation→Design Sensitivity**

- **Difficult to understand the km-scale instrument at a glance**
- **Important to have diagnostics system to know its behavior via ~1000 PEM and instrumental channels.**
  - **DetChar group is developing the system and diagnostics tools**




**Experts finds noise sources from large degree of freedom**  
→ **System localizes the sources and reduce the DoG**

# Observation of Gravitational Waves

## Evaluation of data quality

- Is KAGRA working properly? What about Environmental situation?
- Can we do science using the data taken today?
- The triggered signal, which is above the detection threshold statistically, is really gravitational wave? Or just artificial noise?



|                 | Line categories          | Number of identified lines |
|-----------------|--------------------------|----------------------------|
| Intrinsic lines | Violin modes             | 127                        |
|                 | Mechanical resonances    | 26                         |
|                 | Calibration and control  | 32                         |
| Noise lines     | Power line and harmonics | 40                         |
|                 | Vibration                | 24                         |
|                 | Magnetic                 | -                          |
|                 | Digital                  | 73                         |
|                 | Sidebands                | 640                        |

960/1390 identified

# **KAGRA detector characterization**

- **To select tools for detector diagnostics, evaluation of data quality which has been useful for TAMA, LIGO, Virgo. We are developing the tools from scratch in order to do tuning for KAGRA deeply.**
- **So far we still have unidentified signals. We try to develop tools to understand such unidentified noise and make contribution to the GW community.**
- **At the weekly meeting, we review aLOG and study what kind of tools are useful, what they need at the aLIGO commissioning.**
- **User friendly GUI interface**
- **Web-based summary page**

# DetChar Projects

## Primary Projects

- ☒ To maintain Diagnostics Test Tool
- ☒ Detchar GUI
- ☒ Glitch Monitor
- ☒ Detchar web page
- ☒ Line Monitor
- ☒ correlation finder
- ☒ Noise Modeling
- ☒ Rayleigh Monitor
- ☒ Noise Floor Monitoring
- ☒ Range Monitor  
(Inspiral, Ringdown,  
Insp-Merger-Ringdown,  
Stochastic)
- ☒ Noise Budget
- ☐ Health Monitor
- ☒ Data base
- ☐ Quality flag

## Special Projects


- ☒ Globally correlated mag noise
- ☒ Violin mode
- ☒ Multi-Channel Analysis  
(with Korea detchar, Mano)
- ☒ Detchar shift plan
- ☒ Newtonian Noise
  - ☒ in progress
  - ☒ in slowly progress

## Noise Characterization at the KAGRA site



# (Non-/) Stationary non-Gaussian Noise feature



## Rayleigh Distribution



Yamamoto

- Where the non-Gaussianity comes from
- Is it intrinsic ?

## Triggered events by Q-pipeline




PRD 80 102002



# Non-Gaussian Noise Modeling Yamamoto

- Noise Modeling using Student-t distribution.
- Characterizing non-Gaussianity using 1-parameter.







# Correlation Finder

Yuzurihara, Hayama, Mano


Some noise sources make correlated noise in multiple channels

- Finding Linear and non-Linear correlation from enormous channels
- **Pearson** : Find Linear correlation
- **MIC** : Find non-Linear correlation




# CLIO Case (2012 Sep)

重力波チャンネル




加速度計チャンネル

重力波チャンネル




加速度計チャンネル


重力波チャンネル



加速度計チャンネル



# Correlation Heat Map




Yuzurihara



# Line Characterization

## Line Tracking(Ueno)

Time variation of amplitudes





~ 345 Hz

~370 Hz

~403 Hz

Asano, Ueno

## Line Removal (Asano)





LIGO, Virgo

# Localizing Noise sources using Multichannel Analysis

KGWG(Korea)

- Neural Network based method  
(KGWG)

効率



# Localizing Noise sources using Multichannel Analysis


Mano(ISM)

## Bayesian Non-parametric Clustering


- Non-Supervised Machine Learning
- To show “uncommon” noise events

TAMA300のデータから採集した  
2万6000の非定常雑音カタログを  
クラスタリング

干渉計の状態の悪化で普通  
でない雑音群が生じる



普通でない度






# HasKAL

## Detector Characterization Analysis Tools


|                               |                                                                 |                          |
|-------------------------------|-----------------------------------------------------------------|--------------------------|
| upload MBLT items             |                                                                 |                          |
| asano0622 authored 9 days ago |                                                                 | latest commit 9fa358144c |
| DetectorUtils                 | working around injection                                        | 19 days ago              |
| ExternalUtils                 | Mine.hs updated                                                 | 14 days ago              |
| FrameUtils                    | small change                                                    | 11 days ago              |
| GUI_Utils                     | changed GUI_Utils for plot tool update                          | 11 days ago              |
| LineUtils/LineRemoval         | upload MBLT items                                               | 9 days ago               |
| Misc                          | move haskalOpt to Environment module                            | 2 months ago             |
| MonitorUtils                  | change plot tool of RayleighMon from Chart to HROOT             | 14 days ago              |
| PlotUtils                     | modified plot tool                                              | 11 days ago              |
| SearchUtils                   | added SearchUtils                                               | 22 days ago              |
| SignalProcessingUtils         | minor update                                                    | 13 days ago              |
| SimulationUtils               | add injection function which uses bang method for memory saving | 18 days ago              |
| SpectrumUtils                 | minor change of DetectorSensitivity                             | 11 days ago              |
| StatisticsUtils               | change module name                                              | 13 days ago              |
| TimeUtils                     | change function fromGPS to deformatGPS                          | 19 days ago              |
| WaveUtils                     | add dropWaveData, takeWaveData                                  | 13 days ago              |
| DetectorUtils.hs              | added module of modules                                         | 2 months ago             |
| TimeUtils.hs                  | added module-setting module                                     | 19 days ago              |
| WaveUtils.hs                  | added module-setting file                                       | 19 days ago              |

<https://github.com/gw-analysis/detector-characterization>

# GUI Interface



# Range Monitor (CBC, Ringdown, Stochastic, IMBH)



**Developers:**  
**Asano, Hayama, Itoh, Mano, Ono, Ueno, Yamamoto, Yokozawa,**  
**Yuzurihara,**

**And so on ...**

# Plan

- **In 2014、 GUI tools、 Web-based summary tools will be version1**
- **Mar. in 2015 Participation of PEM monitor operations by GIF**
- **~2015 Dec, improvement, modification**
- **IKAGRA operation**
-

終わり