









	Ribb	DM9M	DS9M	DS9F	DS9M	DS9F	RJ22	Feedth to BF											
Gore	MWS on	RJ22	V	V	DS9M	DS9F	IDC	IDC	PDM	PDF	PBM	PBF	M	CI01M	10-6 F	rough	(01)		
109.1	39.5	2.7	0.5	10	32	70	7	9	26	26	0	10	12	0	5	5	3	27	4









	Sig	ot	Pic																	
IM	nal	or	TR BF o+																	
OSEM	BF Pico	Ca	TR to BF to St																	
to BF	BF Pico	bl	BF to Fla to Fla ep																	
(02)	Stepper	e	BF to Fla ng Fla ng pe																	
LVDT	one	Ext	Ext to TR ng e ng e r																	
	BF to PI	en	en TR M e M e M Ad																	
	SF to PI	sio	Sig ot Sig ot Sig ot ap																	
	Flange	PI to	sio																	
	Geoph	Flange	Flange																	
	Flange	BF to PI	BF to PI																	
	Geoph	SF to PI	SF to PI																	
	Flange	n	n																	
	Geoph	nal or	nal or																	
	Flange	nal or	nal or																	
	Geoph	ter	ter																	
	Signal	(10	(1	(1	(1	(2	(2	(2												
	Adapte	Signal	Signal	one	Motor	Motor	Motor	(1												
	Adapte	Adapte	Adapte	Adapte	(11)	(12)	(13)	(14)	(15)	6)	7)	8)	9)	0)	1)	2)	3)			
	r (03)	r (04)	r (05)	r (06)	(08)	(09)	)	(11)	(12)	(13)	(14)	(15)	6)	7)	8)	9)	0)	1)	2)	3)
	6	1	1	2	2	3	11	1	0	16	3	8	3	1	0	0	0	0	0	0