






一般寸法公差 mm JIS B 0405	長さ (mm)	0.5-3	3-6	6-30	30-120	120-400	400-1,000	1,000-2,000	2,000-4,000
	精級 Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級 Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面処理: Surface treatment	表面粗さ(指示なし) Surface texture	名称/TITLE	三角法/TAP
Approved	N. Ohishi		None	<12.5a	底板	原寸:A2
Checked	H. Mathuura@FCL		材料/MATERIAL		図面番号/DRAWING NO.	SCALE 1:1
Drawn	K. Saito@FCL		SUS304		1	QTY:1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

一般寸法公差 mm	長さ(mm)	0.5-3	3-6	6-30	30-120	120-400	400-1,000	1,000-2,000	2,000-4,000
JIS B 0405	∠ 階級 (Fm/F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中線 (Middle/M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



NAME	DATE	表面処理 Surface treatment	表面粗さ(継手GL) Surface texture	名称/TITLE	三角法/TAP
Approved N. Ohishi		None	<12.5a	天板	原寸:A1
Checked H. Mathura@FCL		材料/MATERIAL	SUS303	図番/NO DRAWING NO.	SCALE 1:1
Drawn K. Saito@FCL				2	QTY:1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

6

5

5

4




3

2

2

1

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5~3	3~6	6~30	30~120	120~400	400~1,000	1,000~2,000	2,000~4,000
	√ 精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面处理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	Top Plate	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		SUS303		3.1	QTY:2

6

5

5

4

3

2

2

1

H

H

G

G

E

E

D


D

B



B

A

A






一般寸法公差 mm JIS B 0405	長さ(mm)	0.5~3	3~6	6~30	30~120	120~400	400~1,000	1,000~2,000	2,000~4,000
	√ 精級 Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級 Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面处理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	高さ決め	原寸:A4
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		A5052		3.2	QTY:2





一般寸法公差 mm JIS B 0405	長さ (mm)	0.5-3	3-6	6-30	30-120	120-400	400-1,000	1,000-2,000	2,000-4,000
	精級 Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級 Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



4-M6深さ10(裏面も同じ)




	NAME	DATE	表面処理: Surface treatment	表面粗さ(指示なし): Surface texture	名称/TITLE	三角法/TAP
Approved	N. Ohishi		None	<12.5a	サポート	原寸/A2
Checked	H. Mathuura@FCL		材料/MATERIAL		図面番号/DRAWING NO.	SCALE 1:1
Drawn	K. Saito@FCL		SUS303		3.3	QTY:1

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5-3	3-6	6-30	30-120	120-400	400-1,000	1,000-2,000	2,000-4,000
	精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面処理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	保護フレーム 上	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		SUS303		5.1	QTY:2

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5~3	3~6	6~30	30~120	120~400	400~1,000	1,000~2,000	2,000~4,000
	精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面処理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	保護フレーム 下	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		SUS303		5.2	QTY:1

6

5

5

4




3

2

2

1

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5-3	3-6	6-30	30-120	120-400	400-1,000	1,000-2,000	2,000-4,000
	精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面処理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	コイルホルダ	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		A5052		6	QTY:4

6

5

5

4

3

2

2

1

H

H

G

G

E

E

D

D

B

B

A

A

6

5

5

4



3

2

2

1

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5~3	3~6	6~30	30~120	120~400	400~1,000	1,000~2,000	2,000~4,000
	精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面处理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	保護板 上	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		A5052		7.1	QTY:不明

6

5

5

4

3

2

2

1

H

H

G

G

E

E

D

D

B

B

A

A

6

5

5

4




3

2

2

1

一般寸法公差 mm JIS B 0405	長さ(mm)	0.5~3	3~6	6~30	30~120	120~400	400~1,000	1,000~2,000	2,000~4,000
	√ 精級Fine(F)	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	±0.5
	中級Middle(M)	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2



	NAME	DATE	表面处理: Surface treatment	表面粗さ(指示なし) Surface texture	名称:TITLE	三角法:TAP
Approved	N.Ohishi		None	<12.5a	保護版 下	原寸:A3
Checked	H.Mathuura@FCL		材料:MATERIAL		図面番号:DRAWING NO.	SCALE 1:1
Drawn	K.Saito@FCL		A5052		7.2	QTY:不明

6

5

5

4

3

2

2

1

H

H

G

G

E

E

D

D

B

B

A

A