
Status of KAGRA



- ◆ Underground and Cryogenic interferometric gravitational-wave detector at Kamioka, Japan
- ◆ KAGRA plans to finish all the installations by the end of March, 2019.
- at least 2-week delay **KAGRA plans to join LV Observation Run 3 from fall 2019.**




Hisaaki Shinkai (Osaka Inst. Tech.) KAGRA Scientific Congress, board chair



KAGRA (Kamioka GW Observatory)



◆ Underground and Cryogenic interferometric gravitational-wave detector at Kamioka, Japan



KAGRA (Kamioka GW Observatory)



Nature Astronomy, 3 (2019) 35. [arXiv:1811.08079]



PERSPECTIVE

KAGRA: 2.5 generation interferometric gravitational wave detector

KAGRA collaboration

The recent detections of gravitational waves (GWs) reported by the LIGO and Virgo collaborations have made a significant impact on physics and astronomy. A global network of GW detectors will play a key role in uncovering the unknown nature of the sources in coordinated observations with astronomical telescopes and detectors. Here we introduce KAGRA, a new GW detector with two 3 km baseline arms arranged in an 'L' shape. KAGRA's design is similar to the second generations of Advanced LIGO and Advanced Virgo, but it will be operating at cryogenic temperatures with sapphire mirrors. This low-temperature feature is advantageous for improving the sensitivity around 100 Hz and is considered to be an important feature for the third-generation GW detector concept (for example, the Einstein Telescope of Europe or the Cosmic Explorer of the United States). Hence, KAGRA is often called a 2.5-generation GW detector based on laser interferometry. KAGRA's first observation run is scheduled in late 2019, aiming to join the third observation run of the advanced LIGO-Virgo network. When operating along with the existing GW detectors, KAGRA will be helpful in locating GW sources more accurately and determining the source parameters with higher precision, providing information for follow-up observations of GW trigger candidates.

eeing is believing. We were reminded of this proverb when we received the news of the discovery of GW150914, the first covered the binary pulsar PSR B1913 + 16 in 1974 (ref. 2). The longterm radio observation of this system has shown that the observed

Figure 1 shows the location of KAGRA in Kamioka, Japan. The interferometer shares the area with the well-known neutrino detecdirect detection of gravitational waves (GWs)¹. The existence tors Super-Kamiokande and KamLAND. Kamioka is a small town of GWs has been believed since Russel Hulse and Joseph Taylor dis- located 1.5 hour driving distance from the city of Toyama, with its biggest claim to fame being an old mine.

Compared with existing laser interferometers, KAGRA is techorbital decay is well described by the energy/angular momentum nologically unique in two features. Firstly, it is located in an underloss due to GW emission as predicted by Einstein in 1915 (ref. 3). ground site to reduce seismic noise. Secondly, KAGRA's test masses

Nicaragua engulfs superconductivity at nearopen access and seals with to understand a twisted sensors to shape 2019 p.13 room temperature p.12 scientists **p.11** form of graphene p.15



Japan's Kamioka Gravitational Wave Detector is scheduled to start up in 2019, joining a global network of interferometers.

Japan to begin pioneering hunt for gravitational waves

The underground KAGRA detector will deploy ambitious technology to improve sensitivity.

BY DAVIDE CASTELVECCHI

nside a house-sized scaffolding wrapped in thick plastic sheets, Takayuki Tomaru Lis in full clean-room attire. The physicist, who works at the High Energy Accelerator Research Organization (KEK) in Tsukuba, vatory — Japan's Kamioka Gravitational and crucial tasks in the construction of a grav- the same principle as the two detectors of the physicists to locate the position of these feeble

waves (see 'Japan's wave hunter').

The ¥16.4-billion (US\$148-million) obser- neutron stars. cylinder of solid sapphire known as a test mass. and the Virgo solo machine in Italy. In the waves' properties, such as how they are

When operations begin later this year, their job past few years, these machines have begun will be to bounce infrared laser beams back and to detect gravitational waves — long-sought forth along two 3-kilometre, high-vacuum ripples in the fabric of space-time, created by pipes, ready to sense the passage of gravitational cataclysmic cosmic events such as the merging of two black holes or the collision of two

With the addition of KAGRA, the growing Japan, is performing one of the most delicate Wave Detector (KAGRA) — will work on global network of detectors will enable astroitational-wave observatory: installing one of Laser Interferometer Gravitational-Wave cosmic signals in the sky with greatly increased the machine's four mirrors, each a 23-kilogram Observatory (LIGO) in the United States precision. They will be able to dissect the

3 JANUARY 2019 | VOL 565 | NATURE | 9

Nature 565 (2019 Jan) 30




Science News 195 (2019 Feb) 8

https://www.sciencenews.org/

Organization of KSC (KAGRA Scientific Congress)





KAGRA collaboration





98 groups, 15 countries 250+ active members

98 groups, 15 countries 250+ active members

Latest paper has 197 authors.

227 members applied for authorlist 2018

Organize Face-to-Face meeting 3 times (April/August/Dec) / year

F2F April 2019 @ U. Tokyo, Japan F2F Aug. 2019 @ U. Toyama, Japan


Organize International Workshop 2 times / year

> KIW5 Feb. 2019 @ Perugia, Italy KIW6 June 2019 @ Wuhan, China KIW7 April 2020 @ NCU, Taiwan

http://gwwiki.icrr.u-tokyo.ac.jp/JGWwiki/KAGRA

Brief History of KAGRA








bKAGRA phase-1 operation (April & May 2018)



[arXiv:1901.03569]









Target Sensitivity & Schedule





Roadmap to join 03: Plan A & B












either DRFPMI(RSE) (-25Mpc, Oct?) or FPMI (-10Mpc, June?)checking points: Sep/2018, Dec/2018 and Mar/2019











Table + GASF + Type-B Payload

[VIS]


ALL the large suspensions have been installed! Tunings are ongoing along with the alignment.

In Feb., all SRs has been installed!



[Mirror, CRYO]
ALL Sapphire mirrors are installed.







- Output mode cleaner (OMC)
- Output Faraday Isolator (OFI)
- Output mode-matching telescopes (OMMTs) installed!

Nov-Dec 2018












ALL the large suspensions have been installed! Tunings are ongoing along with the alignment.


In Feb., all SRs has been installed!















- Intensity stabilization is being commissioned
- Frequency stabilization (mode cleaner & reference cavity) has been operating since phase1

[Mirror, CRYO]

ALL Sapphire mirrors are installed.

[Input Optics] 40W laser, PMC, Mach-Zehnder type modulation system, PM&AM monitor system are installed. [Output Optics] Mode cleaner, Faraday isolater, mode-matching telescopes are installed.






Output mode cleaner (OMC)

Output Faraday Isolator (OFI)

Output mode-matching telescopes (OMMTs) installed!

Nov-Dec 2018





nic test mass re, 23kg, 20K **[VIS]**


ALL the large suspensions have been installed! Tunings are ongoing along with the alignment.

In Feb., all SRs has been installed!

(Auxiliary Optics) 3/4 installed.







Input mode cleaner was tested with 10W

Intensity stabilization is being commissioned

Frequency stabilization (mode cleaner & reference cavity) has been operating since phase1

[Mirror, CRYO]

ALL Sapphire mirrors are installed.

[Input Optics] 40W laser, PMC, Mach-Zehnder type modulation system, PM&AM monitor system are installed. [Output Optics] Mode cleaner, Faraday isolater, mode-matching telescopes are installed.

optics



KAGRA Scientific Congress Newsletter No. 3

2018/12/01

(Right) Photon Calibrator X-end installation completed. July 25. [JGW-G1809009]

In photo, Takaaki Yokozawa, Yuki Inoue, Takahiro Yamamoto, and Chihiro Kozakai.






(Left) Installed the BRT part on the TMS-VIS is the EXT chamber at the X-end! [klog 06342]. In photo, Fumihiro Uraguchi, Koji Nagano, Kunihiko Hasegawa, Kenta Tanaka, Naoki Kita, and Tomotada Akutsu

We did it! in 2018

(Right) SR3 Installation, July 20. [klog 05569] Panwei Huang, Naoatsu Hirata, Terrence Tsang, Fabian Peña, Mark Barton, Ryohei Kozu, and Enzo Tapia. (plus Guiguo observing)





In photo, Sotatsu Otabe, Kohei Kusayanagi, Hiraku Sasaki, and Kentaro Somiya.

(Right) Nov. 9, the last installation of cryogenic payload was completed. The photo at Y-front was distributed in [kagra 02500].

In photo, Masahiro Takahashi, Takayuki Tomaru and Sakae Araki





[CAL]


Photon calibrator modules installed at the both ends Calibration pipelines are being constructed


[Mirror]


Many mirrors were cleaned with FC before starting the DRMI commissioning.

X-arm Locking Test

- X-arm test has completed
 - X-arm locked with the axillary (green) laser, then successfully handed off to the IR laser
 - Noise budgeting








KSC newsletter (2018 Dec.)

Data-exchange tests with low latency





(Data Management)

Low Latency h(t) transfer

KAGRA tunnel —> the surface —> Kashiwa server: 1.3 sec

Low Latency connection with LV (in Feb. 2019)

LHO —> Caltech —> Kashiwa : 6.4 sec

LLO —> Caltech —> Kashiwa : 9.6 sec

Virgo —> Caltech —> Kashiwa : ? sec

Kashiwa —> Caltech: ? sec

◆ KAGRA-LV data exchange will start in April.


(MOU between K-LV 2012, attachment B)

For KAGRA members, LV data access account will be issued only whom filed his/her signed "O3 commitment form" and applied for. (declare ethical statement on confidential issues).

Roadmap to join 03: Plan A & B

checking points: Sep/2018, Dec/2018 and Mar/2019





Hisaaki Shinkai (Osaka Institute of Technology) March 20, 2019 @ LIGO-Virgo Collaboration Meeting

Links to Physics and Astronomy people (in Japan)





Takahiro Tanaka

KAGRA collaboration



Michitoshi Yoshida



Grant-in-Aid for Scientific Research on Innovative Areas

Japanese Collaboration for GW Electro-Magnetic Follow-up

GW physics and astronomy: Genesis

A01 Testing GR

A02 Gravity theories

A03 Study on binary BH formation

B01 GWs from NS-NS/BH-NS, Pulsars and Magnetars

B02 Sources probed with High Energy Observations

B03 Nucleosynthesis with follow-up observations

C01 Physics of Core-Collapse SN

C02 SN explosions via their neutrino emissions


J-GEM collaboration

- 1. Katana Telescope 1.5m optical-infrared telescope of Hiroshima Univ. Japan
- 2. Mini-TAO Telescope 1m optical-infrared telescope of Univ. of Tokyo. & Atacan
- 3. Kiso Schmidt Telescope 1.05m Schmidt telescope of Univ. of Tokyo. & Kiso, Ja
- 4. OAO-WFC 0.9m infrared telescope of NAOJ. & Okayama, Japan
- 5. MITSuME Telescopes 0.5m optical telescopes of NAOJ and TITech. & Okayam
- 6. IRSF 1.4m infrared telescope of Nagoya Univ. & South Africa
- 7. Yamaguchi 32m Radio Telescope, Yamaguchi Univ. & Yamaguchi, Japan
- 8. Kyoto 3.8m Telescope, 3.8m optical-infrared telescope of Kyoto Univ. & Okaya
- 9. Hinotori Telescope 0.5m optical telescope of Hiroshima Univ. & Tibet, China.
- 10. MOA-II 1.8m optical telescope of MOA collaboration. & New Zealand
- 11. Subaru Telescope 8.2m optical infrared telescope of NAOJ & Hawaii, USA.

Status of KAGRA: Summary



- ◆ Underground and Cryogenic interferometric gravitationalwave detector at Kamioka, Japan
- ◆ KAGRA will finish all the installations by middle of April, 2019. (at least2-week delay from the plan a year ago).
- ◆ Our test run begins in early June.
- **♦ KAGRA plans to join Observation Run 3 from fall 2019.**





- ◆ KAGRA-LV data exchange will start in April.
- ◆ KAGRA-LV MOU discussion will be started soon.
- ◆ KAGRA members are waiting to have access to LV wiki.

◆ KAGRA plans to join O4 from the beginning.